SAFETY DATA SHEETS

This SDS packet was issued with item:

078802489

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

078914385



Feline Anxiety Relief

Manufacturer Safety Data Sheet

Ingredients

Aconitum Napellus 10x, 200c, 1M

(Monkshood)

For shock, fright, fear & terror (sudden onset) , or any sudden onset of anxiety, especially remaining after a fright. Fear of being forced into a cage. Fear is worse at night.

Argentum Nitricum 6c, 30c, 200c (Silver Nitrate)

This is a major remedy for all types of anticipatory anxiety, for example, fear at cat shows. Multiple and chronic anxieties often associated with diarrhea. For example, the cat with diarrhea in the cage on the way to the veterinarian.

Arsenicum Album 6c, 30c, 200c (White oxide of Arsenic)

This remedy is for restless anxiety with a desire for company and heat. They are fastidious individuals. Often described as "scaredy cats." They are prone to Psychogenic Alopecia (pulling their hair out when stressed).

Avena Sativa 4x, 7x (Oatstraw)

An anxiolytic producing a sense of calm, similar to Valeriana, Passiflora & Scutallaria.

Calcarea Phosphorica 30c, 200c (Calcium Phosphate)

Individuals benefitting from this are often narrow chested, friendly cats. They start at sudden sounds and can be destructive, clawing and chewing objects.

Causticum 30c, 200c (Potassium Hydrate)

Has a lot in common with Phosphorus, on the surface being friendly and sensitive. They have anxiety about what will happen, often ducking their head as if they expect to be hit.

Gelsemium 6c, 30c, 200c (Yellow Jasmine)

Used for anticipatory anxiety with trembling and the animal becomes paralyzed with fear. Diarrhea or involuntary urination may occur when under extreme stress.

Hyoscyamus 30c, 200c (Henbane)

As a member of the solanaceae family, which includes Stramonium and Belladona, it is a remedy for acute terror and hysteria, often stress licking its coat. They are often very vocal individuals.

Ignatia 6c, 30c, 200c, 1M (St. Ignatius Bean)

Individuals benefitting from this often have a tendency to hysteria, even leading into convulsions. Symptoms to benefit can include self-mutilation coat licking. Grief affects them badly and anxiety can be associated with urinary problems.

Lycopodium 6c, 30c (Club Moss)

Anticipatory anxiety in individuals prone to digestive upsets or where digestive upsets occur from anxiousness. They are usually individuals who lack confidence.

Natrum Carbonicum 30c, 200c (Carbonate of Sodium)

Classically, the cat is super alert to the least external impression, starting at the least thing.

Passiflora 4x, 7x (Passion Flower)

Calming anti-convulsant. Quiets the entire nervous system. Swift acting and non-addictive.

Phosphorus 6c, 30c, 200c, 1M (Mineral phosphorus)

Super-sensitive to all external impressions, with a fear of the dark, thunder, and sudden noise. Friendly, yet vet-phobic, anticipating any intervention. They are often thirsty and are typically the super-friendly, ginger cat.

Pulsatilla Nuttaliana 30c, 200c, 1M (American Pasque Flower)

Clingy cats or kittens who are constantly at the owners feet this remedy works best in individuals who are thirstless and have the peculiar characteristic of being chilly but they like fresh air leading to the cat who sits half in and half out the window.

Scutellaria Lateriflora 4x, 7x (Blue skullcap)

Restlessness or unease from nervous fear or excitement.

Silica Terra 30c, 200c

(Pure Flint)

Chilly individuals, often slow to heal with a strong fear of noise. Can have timidity with confidence in other areas.

Obtained by Global Safety Management, Inc. www.globalsafetynet.com

Staphysagria 6c, 30c

(Stavesacre)

Anxiety symptoms associated with this remedy's sphere of action are commonly found in cats for example humiliation and indignation often associated with a change in behavior associated with surgical intervention such as neutering or bullying by another cat leading to inappropriate urination behaviors' such as spraying, skin eruptions or

cystitis from emotions.

Stramonium 200c

(Jimson Weed)

A solanaceae family remedy for acute states of fear with terror and a wide-eyed look which can be accompanied by aggression. Has a strong fear of the dark. A major

remedy for behavioral problems post re-homing or abandonment.

Valerian 4x, 7x (Valerian root)

Calms Hysetria. Helps individuals where symptoms are worse for dark, for being left alone, from separation from owner or other animals, or introduction of new animals.

INDICATIONS: Homeopathic remedy for relief of general fears, phobias and anxiety in cats and kittens. For fear of veterinarian visits, separation from familiar surroundings, traveling, crying, introduction of new pets, spraying, urine marking, hair pulling or stress licking of coat and anxiety in other stressful situations.

FORMS: Liquid **PACKAGE SIZE:** 15 ml bottle

Kittens – 5 drops, 3 times daily. **Adult Cats** - 10 drops, 3 times daily.

Multiple cats: 5-10 drops per cat in community water. **Felines under 1 lbs**. 1-2 drops in water, 3 times daily.

By Inhalation: - Remedy may also be dropped around bedding area 3-5 times daily.

ACUTE

In acute cases the doses can be given every 15 minutes for the first hour, every 30 minutes in the second hour, once in the

ANXIETY third hour, then reducing to one dose 3 times daily.

For cases that are not acute, give one dose 3 times daily; this is often best started 5-7 days before any situation causing anxious behavior. Once a response is seen, reduce to twice daily, and eventually once daily. If any reduction in dose or

CHRONIC frequency leads to an immediate recurrence of symptoms, return to original dosing and continue a little longer before weaning down. If a remedy is effective and is not reduced, an aggravation of symptoms from overuse may occur.

Stopping the remedy for 3 days will reverse the symptoms and treatment can begin with the original dose, weaning down

as mentioned above.

ADMINISTRATION: Optimally, the liquid preparation should be dropped directly on to the mucous membrane of the mouth, including lips, by raising the head until the mouth opens. Where an animal finds this distressful or an owner is unable to comply, the medication can be put in the food, water or milk or added to a sprayer and misted into air or put onto bedding and allowed to evaporate. Where animals are sensitive to the odor of the alcohol preservative, a 10-20 minute period should be allowed for dilution and evaporation before the liquid or food is presented to the patient. Occasionally, animals will shake their heads as a response to the alcohol preservative and cats may salivate excessively, and in these cases presenting it in food, water or milk works.

For severe cases oral rehydration fluid can be medicated to the above dilution and given to the patient orally, taking care to avoid aspiration of the fluid into the respiratory tract by the patient. For acute cases it can be repeated as in the previous dosing section.

ADVERSE EFFECTS AND CONTRAINDICATIONS: None known, other than reversible effect of overdose. Overdose will result in a return of symptoms after the symptoms have initially disappeared. Where a return of symptoms occurs while on the medication, ceasing to use it will alleviate the effect. Patients who are hypersensitive to homeopathic preparations will show response to a single dose, which may not need to be repeated for some time. For this reason therapy should always start with a single dose the previous day and should a major response be seen, therapy should not be recommenced until symptoms relapse, and then only a single dose given for maximum effect. Although there is no evidence that there are any safety issues, extra care should always be taken when dealing with pregnant animals. Should a suspected adverse reaction be seen or advice needed, please contact HomeoPet, LLC (contact information at bottom of sheet).

DRUG INTERACTIONS: None known for animal use only. Keep out of reach of children.

PHARMACEUTICAL PRECAUTIONS: Store at room temperature, out of direct sunlight, and away from strong odors.

USER SAFETY: No adverse effects have been recorded. There have been reports to the company of beneficial rather than adverse effects. As homeopathics are active in humans, care is advised when handling product, although a long history of homeopathics used in humans shows a very high safety margin.

ENVIRONMENTAL IMPACT: To date none found. **Authorization#, NDC#:** 61571-0563-24

HOMEOPET, LLC PO BOX 147

WESTHAMPTON BEACH, NY 11978

TEL: 800 555 4461, FAX: 800 434 0449, E-MAIL: info@homeopet.com, WEBSITE: www.homeopet.com