

SAFETY DATA SHEETS

This SDS packet was issued with item:

078909190

N/A

Material Safety Data Sheet

May be used to comply with osha's
Hazard Communication standard must be
consulted for specific requirements.
ChemTrec (800) 424-9300

Section I

IDENTITY (AS USED ON LABEL AND LIST)

Kinetic Technologies, Inc.

Equi Shield CK HC Salve

Formula:W-42-1 Proprietary Blend

Date Prepared: 03-18-13

Section II COMPONENT INFORMATION

[Specify Chemical Identity; Common Name(s)]

| | CAS #S | OSHA PEL | ACGIH TLV | OTHER LIMITS | % (OPTIONAL) |
|---------------------------|------------|----------|-----------|--------------|--------------|
| Ketoconazole | 65277-42-1 | | | | < 1.0% |
| Chlorhexidine Digluconate | 18472-51-1 | | | | <2.0 % |
| Hydrocortisone | 50-23-7 | | | | 1.00% |

Section III -Section III-Physical/Chemical Characteristics

| | | | |
|-----------------------|---|---------------------------|------|
| Boiling Point | 205 ^o F | Specific Gravity(water=1) | 0.98 |
| Vapor Pressure(mm hg) | N/A | Melting Point | N/A |
| Vapor Density(AIR=1) | N/A | Evaporation Rate | N/A |
| | | (BUTYL ACETATE=1) | |
| Solubility in Water | NONE | | |
| Appearance and Odor | Light Orange Gel Like Paste with Neutral Odor | | |

Section IV -FIRE AND EXPLOSION HAZARD DATA

| | | | | | |
|----------------------------------|--------------------|-------------|------------------|-----|-----|
| Flash Point | 205 ^o F | Method Used | Flammable Limits | LEL | UEL |
| Extinguishing Media | Dry Powder | | | | |
| Special Fire Fighting Procedures | NONE | | | | |

Section V -Reactivity Data

| | | | | |
|--|----------------|-------------------------------------|------------|-------------------------------------|
| Stability | Unstable | <input type="checkbox"/> | Stable | <input checked="" type="checkbox"/> |
| Incompatibility (Material to Avoid): | NONE | | | |
| Hazardous Decomposition or byproducts: | NONE | | | |
| Hazardous polymerization | Will not occur | <input checked="" type="checkbox"/> | Will Occur | <input type="checkbox"/> |
| Conditions to Avoid | Excess Heat | | | |

Section VI -Section VI HEALTH HAZARD DATA

| | | | | | | |
|-----------------|-------------|--------------------------|-------|--------------------------|------------|-------------------------------------|
| Routes of Entry | Inhalation: | <input type="checkbox"/> | Skin: | <input type="checkbox"/> | Ingestion: | <input checked="" type="checkbox"/> |
|-----------------|-------------|--------------------------|-------|--------------------------|------------|-------------------------------------|

| | |
|-------------------------------------|------|
| Health Hazards (Acute and Chronic): | NONE |
|-------------------------------------|------|

| | | | |
|------------------|------|---------------------|-----------------|
| Carcinogenicity: | NTP: | I.A.R.C monographs: | OSHA REGULATED: |
|------------------|------|---------------------|-----------------|

| | | | |
|------------|------------|------------|------------|
| Not Listed | Not Listed | Not Listed | Not Listed |
|------------|------------|------------|------------|

| | |
|---------------------------------|---------------|
| Signs and Symptoms of exposure: | Upset Stomach |
|---------------------------------|---------------|

| | |
|--|------------|
| Medical Conditions Generally Aggravated by Exposure: | None Known |
|--|------------|

Emergency and First Aid procedures: in case of eye contact, flush eyes with running water for 15 minutes. if irritation persists, obtain medical aid. For skin contact, wash with soap and water, remove contaminated clothing. If swallowed, do not induce vomiting. Drink two glasses of water and call a physician immediately for discomfort from excessive breathing of vapors, remove person to fresh air.

Section VII -Precaution for safe Handling and Use

Steps to be taken in case Material is Released or spilled:
Absorb with inert material after diluting with water.

| | |
|------------------------|--|
| Waste Disposal Method: | Approved landfill in accordance with all local, state and federal regulations. |
|------------------------|--|

| | |
|--|--|
| Precautions to be taken in Handling and Storing: | Store in a cool, dry area with adequate ventilation. |
|--|--|

| | |
|--------------------|------|
| Other Precautions: | none |
|--------------------|------|

Section VIII -Control Measures

| | |
|--|-----------------------|
| Respiratory Protection (specify type): | Normally not required |
|--|-----------------------|

| | | | | |
|--------------|---------------|-----------------------|---------|-------|
| Ventilation: | Local exhaust | Mechanical (General): | Special | Other |
|--------------|---------------|-----------------------|---------|-------|

| | | | |
|--------------------|--------|-----------------|----------------|
| Protective Gloves: | rubber | Eye Protection: | safety glasses |
|--------------------|--------|-----------------|----------------|

| | |
|--------|------------------|
| Rubber | Chemical goggles |
|--------|------------------|

| | |
|---|------|
| Other Protection clothing or equipment: | None |
|---|------|

| | |
|--------------------------|--------------------------|
| Work/Hygienic Practices: | Use good work practices. |
|--------------------------|--------------------------|

We believe that the information contained herein is current as of the date of the material safety data sheet. Although it is possible that this mixture itself has not been tested as to what hazards may be present, OSHA section 1910.1200 has been applied. This states that if one or more hazardous components are a level of 1.0% (or greater), then the mixture is presumed to have all the health hazards of the components. Since the use of the products is not within our control it is the user's obligation to determine the conditions of safe use of the product. Note: The formula contains a combination of ingredients other than the hazardous materials listed.