

SAFETY DATA SHEETS

This SDS packet was issued with item:

078906606

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

071047950 074909412 074909446 074909453 074909461 074909545 074909560 074909594 079233800 079233825



DENTSPLY Professional

Safety Data Sheet

Safety Data Sheet (in compliance with Regulation (EC) 1907/2006, Regulation (EC) 1272/2008 and Regulation (EC) 453/2010)

Document Number: 82634-1214

Date Revised: 09 December 14

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier:

Trade Name (as labeled): Midwest Plus™ Aerosol Spray

Part/Item Number: 380080

1.2 Relevant Identified Uses of the Substance or Mixture and Uses Advised Against:

Recommended Use: Cleaning and Lubrication

Restrictions on Use: For Professional Use Only

1.3 Details of the Supplier of the Safety Data Sheet:

Manufacturer/Supplier Name: DENTSPLY Professional

Manufacturer/Supplier Address: 901 West Oakton St.

Des Plaines, IL 60018

Manufacturer/Supplier Telephone Number: 800-989-8826 or 717-767-8502 (Product Information)

Email address: ProfessionalMSDS@dentsply.com

1.4 Emergency Telephone Number:

Transportation Emergency Contact Number: 800-424-9300 Chemtrec

2. HAZARDS IDENTIFICATION

2.1 Classification of the Substance or Mixture:

| GHS Classification: | | |
|--|---------------|--|
| Health | Environmental | Physical |
| Aspiration Toxicity Category 1 (H304) | Not Hazardous | Flammable Aerosol Category 1 (H222) Gas Under Pressure: Compressed Gas (H280) |

EU Classification: Highly Flammable (F+), Harmful (Xn), R12, R65

2.2 Label Elements:



Signal Word: Danger!

| Hazard Phrases | Precautionary Phrases |
|---|--|
| H222 Extremely flammable aerosol. H280 Contains gas under pressure; may explode if heated. H304 May be fatal if swallowed and enters airways. | P210 Keep away from heat, sparks, open flames, and hot surfaces. No smoking. P211 Do not spray on an open flame or other ignition source. P251 Do not Pierce or burn, even after use. P301 + P310 IF SWALLOWED: Immediately call a poison center or doctor. P331 Do NOT induce vomiting. P405 Store locked up. P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. P501 Dispose of contents and container in accordance with local and national regulations. |

2.3 Other Hazards: None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixture:

| Hazardous Components | C.A.S. # | EINECS # | Classification | WT % |
|---|------------|-----------|---|-------|
| Propane | 74-98-6 | 200-827-9 | F+ R12 Flam. Gas 1, H220 Liq. Gas, H280 | 25-50 |
| Butane | 106-97-8 | 203-448-7 | F+ R12 Flam. Gas 1, H220 Liq. Gas, H280 | 25-50 |
| Paraffin based neutral lubricating oil, hydrotreated, C15-C30 | 72623-86-0 | 276-737-9 | Xn, R65 Asp. Tox 1 (H304) | 30-50 |

The exact concentration is being withheld as a trade secret.

Refer to Section 16 for the full text of the GHS and EU Classifications.

4. FIRST AID MEASURES

4.1 Description of First Aid Measures:

| | |
|------|--|
| Eye | Immediately flush eyes with large quantities of water, while holding the eyelids apart. Get medical attention if irritation persists. |
| Skin | Remove contaminated clothing. Wash skin thoroughly with soap and water. If irritation or symptoms develops, get medical attention. Launder clothing before re-use. Treat for frostbite if necessary. |

| | |
|-------------------|--|
| Inhalation | Immediately remove victim to fresh air. If breathing is difficult have qualified personnel administer oxygen. If breathing has stopped, administer artificial respiration. |
| Ingestion | Ingestion is an unlikely route of exposure for aerosol products. If ingestion occurs, do NOT induce vomiting. Immediately call local poison control center or go to an emergency department. Never give anything by mouth to an unconscious or drowsy person. If vomiting occurs spontaneously, keep head below hips to prevent aspiration into the lungs. |

4.2 Most Important Symptoms and Effects, Both Acute and Delayed:

This product is an aerosol product. Spraying into the eyes may cause eye irritation or injury. May cause frostbite by skin contact. May be harmful if inhaled, causing dizziness, drowsiness, loss of consciousness, irregular heartbeat, and death. Aspiration into lungs during swallowing or vomiting may cause fatal or harmful lung damage.

4.3 Indication of Any Immediate Medical Attention and Special Treatment Needed:

Medical attention may be required for eye exposure or inhalation. Get immediate medical attention for ingestion.

Note to Physicians (Treatment, Testing, and Monitoring): Treat symptomatically.

5. FIRE-FIGHTING MEASURES

5.1 Extinguishing Media: Use water spray or fog, carbon dioxide, foam or dry chemical. Do not use water jet.





5.2 Special Hazards Arising from the Substance or Mixture:

This product is an extremely flammable aerosol. Vapors are heavier than air and may travel along surfaces to remote ignition sources and flash back. Contents under pressure. Keep away from ignition sources and open flames. Containers may rupture or explode under fire conditions. Decomposition may release oxides of carbon.

5.3 Advice for Fire-Fighters:

| | |
|---------------------------------------|--|
| Fire Fighting Procedures: | Use water to cool exposed containers and structures and disperse flammable vapors. |
| Precautions for Fire Fighters: | Firefighters should wear full emergency equipment and approved positive pressure self-contained breathing apparatus. Do not enter fire area without proper protection. Use shielding to protect from bursting cans. Do not allow run-off from firefighting to enter drains or water courses. |



Recommended Protective Equipment for Fire Fighters:

| EYES/FACE | HANDS | RESPIRATORY | THERMAL |
|---|---|--|---|
|  |  |  |  |

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal Precautions, Protective Equipment and Emergency Procedures:

Evacuate spill area and keep unprotected personnel away. Eliminate all sources of ignition and ventilate area. Avoid contact with skin, eyes or clothing. Wear appropriate protective clothing as described in Section 8.

| Recommended Personal Protective Equipment for Containment and Clean-up: | | | |
|---|---|-------------|------|
| EYES/FACE | HANDS | RESPIRATORY | SKIN |
|  |  | | |

6.2 Environmental Precautions:

Prevent entry into sewers and waterways. Report releases as required by local and national authorities.

6.3 Methods and Material for Containment and Cleaning up:

Leaking cans should be placed in a plastic bag or open pail until the pressure has dissipated. Contain and collect liquid with an inert absorbent and place in a container for disposal. Clean spill area thoroughly.

6.4 Reference to Other Sections:

Refer to Section 8 for Personal Protective Equipment and Section 13 for Disposal information.

7. HANDLING AND STORAGE

7.1 Precautions for Safe Handling:

Avoid contact with the eyes, skin and clothing. Avoid breathing vapors or aerosols. Wear protective clothing and equipment as described in Section 8. Use only with adequate ventilation. Wash thoroughly with soap and water after handling. Keep containers closed when not in use. Keep product away from heat, sparks, flames and all other sources of ignition. Do not permit smoking in use or storage areas.

Empty containers retain product residues and can be hazardous. Follow all SDS precautions when handling empty containers.

7.2 Conditions for Safe Storage, Including Any Incompatibilities: Store in a cool, well-ventilated area at temperatures below 48.9°C (120°F). Store away from heat, direct sunlight and all sources of ignition. Store away from oxidizers and other incompatible materials. Protect against electrostatic charges.

7.3 Specific End Use (s): For professional use only.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control Parameters:

Occupational Exposure Limits:

| | | |
|---|----------------|--|
| Propane | United States | 1000 ppm TWA OSHA PEL |
| | Germany | 1000 ppm TWA, 4000 ppm STEL DFK MAK |
| | United Kingdom | None Established |
| | European Union | None Established |
| Butane | United States | 1000 ppm STEL ACGIH TLV |
| | Germany | 1000 ppm TWA, 4000 ppm STEL DFK MAK |
| | United Kingdom | 600 ppm TWA, 750 ppm STEL UK WEL |
| | European Union | Belgium: 800 ppm TWA |
| Paraffin based neutral lubricating oil, hydrotreated, C15-C30 | United States | 5 mg/m ³ (inhalable) TWA ACGIH TLV (as mineral oil) 5 mg/m ³ TWA OSHA PEL(as oil mist, mineral) |
| | Germany | None Established |
| | United Kingdom | 5 mg/m ³ TWA UK WEL (as oil mist, mineral) |
| | European Union | None Established |

Biological Exposure Limits: None Established

8.2 Exposure Controls:

Appropriate Engineering Controls: Use with adequate local exhaust ventilation to minimize exposures levels.

Individual Protection Measures (PPE):



Specific Eye/face Protection: Chemical safety glasses with side shields or chemical splash goggles are recommended to avoid eye contact.

Specific Skin Protection: Wear impervious gloves such as nitrile gloves to prevent prolonged skin contact.

Specific Respiratory Protection: None should be needed for normal use. If the exposure levels are excessive, an approved respirator with dust/mist cartridges or supplied air respirator should be used. Respirator selection and use should be based on contaminant type, form and concentration. Follow applicable regulations and good Industrial Hygiene practice.

Specific Thermal Hazards: None required.

Recommended Personal Protective Equipment

| EYES/FACE | HANDS | RESPIRATORY | SKIN |
|---|---|-------------|------|
|  |  | | |

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on Basic Physical and Chemical Properties:

| | | | |
|---|--|--|--|
| Appearance: | Light yellow liquid in an Aerosol can | Explosive limits: | LEL: 1.5 vol% UEL: 10.9 vol% |
| Odor: | Weak, characteristic odor | Vapor pressure (mmHg): | 8300 hPa @ 20°C (68°F) |
| Odor threshold: | Not applicable | Vapor density: | Not determined |
| pH: | Not applicable | Relative density: | 0.87 g/cm ³ @ 20°C (68°F) (Active substance) |
| Melting/freezing point: | Not applicable | Solubility(ies): | Insoluble in water |
| Initial boiling point and boiling range: | -44°C (-47.2°F) (DIN 51751) (concentrate) | Partition coefficient: n-octanol/water: | Not applicable |
| Flash point: | 215°C (419°F) (ISO 2592) (Active substance) | Auto-ignition temperature: | Not determined |
| Evaporation rate: | Not determined | Decomposition temperature: | Not determined |
| Flammability (solid, gas): | Not determined | Viscosity: | 17 mm ² /s @ 40°C (104°F) (Active substance) |
| Explosive Properties: | Not determined | Oxidizing Properties: | Not an oxidizer |

9.2 Other Information: None known.

10. STABILITY AND REACTIVITY

10.1 Reactivity: None known.

10.2 Chemical Stability: Stable under normal conditions.

10.3 Possibility of Hazardous Reactions: Hazardous polymerization will not occur. May react in contact with incompatible materials.

10.4 Conditions to Avoid: Keep away from heat, sparks and all ignition sources. Dropping containers may cause bursting.

10.5 Incompatible materials: Strong oxidizing agents.

10.6 Hazardous Decomposition Products: Decomposition may release oxides of carbon.

11. TOXICOLOGICAL INFORMATION

11.1 Information on Toxicological Effects:

Potential Health Effects:

Eyes: Contact with liquid may cause mild irritation with redness, tearing and stinging.

| |
|---|
| <u>Skin:</u> Contact with liquid may cause frostbite. |
| <u>Ingestion:</u> Ingestion can cause gastrointestinal irritation, nausea, and diarrhea. Fatal or harmful lung damage may occur during swallowing or vomiting. |
| <u>Inhalation:</u> Inhalation of large amounts may be harmful. Inhalation of high concentrations may cause temporary central nervous system depression with anesthetic effects such as dizziness, headache, incoordination, and loss of consciousness. Prolonged exposure to high concentrations may cause irregular heartbeat, cardiac arrest, and death. |
| <u>Chronic Health Effects:</u> None known. |
| <u>Irritation:</u> No data available. |
| <u>Corrosivity:</u> No data available. |
| <u>Sensitization:</u> No data available. |
| <u>Carcinogenicity:</u> None of the components of this product are listed as carcinogens by OSHA, IARC, NTP, ACGIH or the EU CLP. |
| <u>Mutagenicity:</u> No data available. This product is not expected to cause mutagenic activity. |
| <u>Medical Conditions Aggravated by Exposure:</u> Individuals with pre-existing central nervous or cardiovascular system diseases may be at increased risk from exposure. |
| <u>Acute Toxicity Data:</u> Product: Oral rat LD50- 2000-5000 mg/kg, Inhalation rat LC50- >5100 mg/m3/4hr |
| <u>Reproductive Toxicity Data:</u> No data available. This product is not expected to cause adverse reproductive effects. |
| <u>Specific Target Organ Toxicity (STOT):</u> <u>Single Exposure:</u> No data available. <u>Repeated Exposure:</u> No data available. |

12. ECOLOGICAL INFORMATION

| |
|---|
| 12.1 Toxicity: No ecotoxicity data available |
| 12.2 Persistence and Degradability: No data is currently available |
| 12.3 Bio-accumulative Potential: No data is currently available |
| 12.4 Mobility in Soil: No data is currently available |
| 12.5 Results of PBT and vPvB Assessment: Not required |
| 12.6 Other Adverse Effects: None |

13. DISPOSAL CONSIDERATIONS

| |
|--|
| 13.1 Waste Treatment Methods: |
| Regulations: Dispose in accordance with all national and local regulations. |

Properties (Physical/Chemical) Affecting Disposal: Empty containers retain product residues and can be hazardous. Follow all SDS precautions when handling empty containers.

Waste Treatment Recommendations: Dispose in accordance with national and local regulations.

14. TRANSPORT INFORMATION

| | 14.1 UN Number | 14.2 UN Proper Shipping Name | 14.3 Hazard Class(s) | 14.4 Packing Group | 14.5 Environmental Hazards |
|------------------|----------------|------------------------------|----------------------|--------------------|----------------------------|
| DOT | UN1950 | Aerosols, flammable | 2.1 | None | Not applicable |
| ADR/RID | UN1950 | Aerosols, flammable | 2.1 | None | Not applicable |
| IMDG | UN1950 | Aerosols, flammable | 2.1 | None | Not applicable |
| IATA/ICAO | UN1950 | Aerosols, flammable | 2.1 | None | Not applicable |

14.6 Special Precautions for User: Not applicable.

14.7 Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code: Not applicable.

15. REGULATORY INFORMATION

15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture:

U.S. Federal Regulations

Comprehensive Environmental Response and Liability Act of 1980 (CERCLA): This product is not subject to CERCLA reporting requirements. Many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

Toxic Substances Control Act (TSCA): All of the components of this product are listed on the TSCA inventory.

Clean Water Act (CWA): This material is not regulated under the Clean Water Act.

Clean Air Act (CAA): This material is not regulated under the Clean Air Act.

Superfund Amendments and Reauthorization Act (SARA) Title III Information:

SARA Section 311/312 (40 CFR 370) Hazard Categories:

| | | | |
|--------------------------|------------|---------------------------|------------|
| Immediate Hazard: | Yes | Pressure Hazard: | Yes |
| Delayed Hazard: | No | Reactivity Hazard: | No |
| Fire Hazard: | Yes | | |

This product contains the following toxic chemical(s) subject to reporting requirements of SARA Section 313 (40 CFR 372):

| Components | C.A.S. # | WT % |
|------------|----------|------|
| None | | |

State Regulations

California: This product contains the following substances known to the state of California to cause cancer and/or

reproductive toxicity:

| Components | C.A.S. # | WT % |
|------------|----------|------|
| None | | |

International Regulations

Canadian Workplace Hazardous Materials Information System (WHMIS): Class A (Compressed Gas), Class B (Flammable/Combustible Material)

Canadian Environmental Protection Act: All of the components in this product are listed on the Domestic Substances list (DSL).

This SDS has been prepared according to the criteria of the Controlled Products Regulation (CPR) and the SDS contains all of the information required by the CPR.

European Inventory of Existing Chemicals (EINECS): All of the components in this product are listed on the EINECS inventory.

EU REACH: All components requiring registration have been pre-registered.

Australian Inventory of Chemical Substances: All of the components in this product are listed on the AICS for Australia.

China Inventory of Existing Chemicals and Chemical Substances: All of the components in this product are listed on the IECSC for China.

Japanese Existing and New Chemical Substances: All of the components in this product are listed on the Japanese ENCS list.

Korean Existing Chemicals List: All of the components in this product are listed on the KECL for Korea.

New Zealand Inventory of Chemicals: All of the components in this product are listed on the NZIoC for New Zealand.

Philippine Inventory of Chemicals and Chemical Substances: All of the components in this product are listed on the PICCS.

15.2 Chemical Safety Assessment: None required.

16. OTHER INFORMATION

HMIS Hazard Rating:

Health – 2 Flammability – 2 Physical Hazard – 1

Full text of Classification abbreviations used in Section 2 and 3:

F+ Extremely flammable

Xn Harmful

R12 Extremely flammable

R65 Harmful: may cause lung damage if swallowed

Asp Tox 1 Aspiration Toxicity Category 1

Flam Aerosol Cat 1 Flammable Aerosol Category 1

Flam Gas 1 Flammable Gas Category 1

Liq Gas Liquefied Gas

H220 Extremely flammable gas

H222 Extremely flammable aerosol

H280 Contains gas under pressure; may explode if heated

H304 May be fatal if swallowed and enters airways

Date Revised: 09 December 2014

Revision Summary: Converted MSDS to Reach SDS. Updated all sections.

Data Sources: US NLM ChemID Plus and HSDB, Substance SDS for components, IUCLID Dataset EU Chemical Bureau, ESIS, Country websites for occupational exposure limits.