

## **SAFETY DATA SHEETS**

**This SDS packet was issued with item:**

078934325

**The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).**

078036439

# SAFETY DATA SHEET



Revision date: 29-Dec-2014

Version: 3.2

Page 1 of 10

## 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

### Product Identifier

**Material Name:** Moxidectin Oral Gel

**Trade Name:** QUEST®  
**Synonyms:** QUEST® 2% Equine Oral Gel  
**Chemical Family:** Macrocyclic lactone

### Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

**Intended Use:** Veterinary product used as anti-worm agent (anthelmintic)  
**Restrictions on Use:** Not for human use

### Details of the Supplier of the Safety Data Sheet

Zoetis Inc.  
100 Campus Drive, P.O. Box 651  
Florham Park, New Jersey 07932 (USA)  
Rocky Mountain Poison Control Center Phone: 1-866-531-8896  
Product Support/Technical Services Phone: 1-800-366-5288

Zoetis Belgium S.A.  
Mercuriusstraat 20  
1930 Zaventem  
Belgium

**Emergency telephone number:**  
**CHEMTREC (24 hours):** 1-800-424-9300  
**Contact E-Mail:** VMIPSrecords@zoetis.com

**Emergency telephone number:**  
**International CHEMTREC (24 hours):** +1-703-527-3887

## 2. HAZARDS IDENTIFICATION

**Appearance:** Clear gel

### Classification of the Substance or Mixture

#### GHS - Classification

Acute aquatic toxicity: Category 1  
Chronic aquatic toxicity: Category 1

#### EU Classification:

EU Indication of danger: Dangerous for the Environment

EU Symbol: N  
EU Risk Phrases:

R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

### Label Elements

**Signal Word:** Warning  
**Hazard Statements:** H410 - Very toxic to aquatic life with long lasting effects

**Precautionary Statements:** P273 - Avoid release to the environment  
P391 - Collect spillage  
P501 - Dispose of contents/container in accordance with all local and national regulations

## SAFETY DATA SHEET

Material Name: Moxidectin Oral Gel  
Revision date: 29-Dec-2014

Page 2 of 10  
Version: 3.2



**Other Hazards**

**Short Term:**

May be harmful if swallowed. May cause eye irritation. May cause slight skin irritation. (based on components) .

**Known Clinical Effects:**

Adverse effects associated with therapeutic use include clumsy motion of limbs/trunk (ataxia), drowsiness, depression, and salivation

**Australian Hazard Classification (NOHSC):**

Non-Hazardous Substance. Non-Dangerous Goods.

**Note:**

This document has been prepared in accordance with standards for workplace safety, which requires the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warning included may not apply in all cases. Your needs may vary depending upon the potential for exposure in your workplace.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Hazardous**

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Benzyl Alcohol	100-51-6	202-859-9	Xn; R20/22	Acute Tox.4 (H302) Acute Tox.4 (H332)	<4
Moxidectin	113507-06-5	Not Listed	T;R25 Xi;R36 N;R50/53	Acute Tox.3 (H301) Eye Irrit. 2A (H319) Skin Irrit 3 (H316) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	2

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Disodium EDTA (dihydrate)	6381-92-6	Not Listed	Not Listed	Not Listed	*
Water for injection	7732-18-5	231-791-2	Not Listed	Not Listed	*
Simethicone	8050-81-5	Not Listed	Not Listed	Not Listed	*
Sodium phosphate, dibasic	7558-79-4	231-448-7	Not Listed	Not Listed	*
Sodium dihydrogen phosphate dihydrate	13472-35-0	Not Listed	Not Listed	Not Listed	*
Poloxamer 407	9003-11-6	Not Listed	Not Listed	Not Listed	*
2% polysorbate 80	Proprietary	Not Listed	Not Listed	Not Listed	*

**Additional Information:**

\* Proprietary  
Ingredient(s) indicated as hazardous have been assessed under standards for workplace safety.

**For the full text of the R phrases and CLP/GHS abbreviations mentioned in this Section, see Section 16**

## SAFETY DATA SHEET

Material Name: Moxidectin Oral Gel  
Revision date: 29-Dec-2014

Page 3 of 10  
Version: 3.2

### 4. FIRST AID MEASURES

#### Description of First Aid Measures

- Eye Contact:** Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention immediately.
- Skin Contact:** Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek medical attention.
- Ingestion:** Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not induce vomiting unless directed by medical personnel. Seek medical attention immediately.
- Inhalation:** Remove to fresh air and keep patient at rest. Seek medical attention immediately.

#### Most Important Symptoms and Effects, Both Acute and Delayed

- Symptoms and Effects of Exposure:** For information on potential signs and symptoms of exposure, See Section 2 - Hazards Identification and/or Section 11 - Toxicological Information.
- Medical Conditions Aggravated by Exposure:** None known

#### Indication of the Immediate Medical Attention and Special Treatment Needed

- Notes to Physician:** None

### 5. FIRE-FIGHTING MEASURES

**Extinguishing Media:** Extinguish fires with CO<sub>2</sub>, extinguishing powder, foam, or water.

#### Special Hazards Arising from the Substance or Mixture

- Hazardous Combustion Products:** Formation of toxic gases is possible during heating or fire.
- Fire / Explosion Hazards:** Fine particles (such as dust and mists) may fuel fires/explosions.

#### Advice for Fire-Fighters

During all fire fighting activities, wear appropriate protective equipment, including self-contained breathing apparatus.

### 6. ACCIDENTAL RELEASE MEASURES

#### Personal Precautions, Protective Equipment and Emergency Procedures

Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure.

#### Environmental Precautions

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

#### Methods and Material for Containment and Cleaning Up

- Measures for Cleaning / Collecting:** Contain the source of spill if it is safe to do so. Collect spill with absorbent material. Clean spill area thoroughly.
- Additional Consideration for Large Spills:** Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Clean up operations should only be undertaken by trained personnel.

### 7. HANDLING AND STORAGE

#### Precautions for Safe Handling

## SAFETY DATA SHEET

Material Name: Moxidectin Oral Gel  
Revision date: 29-Dec-2014

Page 4 of 10  
Version: 3.2

### 7. HANDLING AND STORAGE

When handling, use appropriate personal protective equipment (see Section 8). Use with adequate ventilation. Avoid breathing vapor or mist. Avoid contact with eyes, skin and clothing. Wash hands and any exposed skin after removal of PPE. Refer to Section 12 - Ecological Information, for information on potential effects on the environment. Releases to the environment should be avoided. Review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure or environmental releases. Potential points of process emissions of this material to the atmosphere should be controlled with dust collectors, HEPA filtration systems or other equivalent controls.

#### Conditions for Safe Storage, Including any Incompatibilities

**Storage Conditions:** Store as directed by product packaging.

**Specific end use(s):** No data available

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### Control Parameters

Refer to available public information for specific member state Occupational Exposure Limits.

#### Benzyl Alcohol

Bulgaria OEL - TWA 5.0 mg/m<sup>3</sup>

Czech Republic OEL - TWA 40 mg/m<sup>3</sup>

Finland OEL - TWA 10 ppm

45 mg/m<sup>3</sup>

Latvia OEL - TWA 5 mg/m<sup>3</sup>

Lithuania OEL - TWA 5 mg/m<sup>3</sup>

Poland OEL - TWA 240 mg/m<sup>3</sup>

#### Moxidectin

Zoetis OEL TWA 8-hr 70 µg/m<sup>3</sup>

#### Exposure Controls

**Engineering Controls:** Engineering controls should be used as the primary means to control exposures. General room ventilation is adequate unless the process generates dust, mist or fumes. Keep airborne contamination levels below the exposure limits listed above in this section.

**Personal Protective Equipment:** Refer to applicable national standards and regulations in the selection and use of personal protective equipment (PPE).

**Hands:** Impervious gloves are recommended if skin contact with drug product is possible and for bulk processing operations.

**Eyes:** Wear safety glasses or goggles if eye contact is possible.

**Skin:** Impervious protective clothing is recommended if skin contact with drug product is possible and for bulk processing operations.

**Respiratory protection:** If the applicable Occupational Exposure Limit (OEL) is exceeded, wear an appropriate respirator with a protection factor sufficient to control exposures to below the OEL.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical State:</b>	Gel	<b>Color:</b>	Clear
<b>Odor:</b>	No data available.	<b>Odor Threshold:</b>	No data available.
<b>Molecular Formula:</b>	Mixture	<b>Molecular Weight:</b>	Mixture
<b>Solvent Solubility:</b>	No data available		
<b>Water Solubility:</b>	No data available		
<b>pH:</b>	No data available.		
<b>Melting/Freezing Point (°C):</b>	No data available		

## SAFETY DATA SHEET

Material Name: Moxidectin Oral Gel  
Revision date: 29-Dec-2014

Page 5 of 10  
Version: 3.2

### 9. PHYSICAL AND CHEMICAL PROPERTIES

**Boiling Point (°C):** No data available.

**Partition Coefficient: (Method, pH, Endpoint, Value)**

No data available

**Moxidectin**

Predicted 7 Log D 8.74

**Decomposition Temperature (°C):** No data available.

**Evaporation Rate (Gram/s):** No data available

**Vapor Pressure (kPa):** No data available

**Vapor Density (g/ml):** No data available

**Relative Density:** No data available

**Viscosity:** No data available

**Flammability:**

**Autoignition Temperature (Solid) (°C):** No data available

**Flammability (Solids):** No data available

**Flash Point (Liquid) (°C):** No data available

**Upper Explosive Limits (Liquid) (% by Vol.):** No data available

**Lower Explosive Limits (Liquid) (% by Vol.):** No data available

### 10. STABILITY AND REACTIVITY

**Reactivity:** No data available

**Chemical Stability:** Stable under normal conditions of use.

**Possibility of Hazardous Reactions**

**Oxidizing Properties:** Non-oxidizing

**Conditions to Avoid:** Fine particles (such as dust and mists) may fuel fires/explosions.

**Incompatible Materials:** As a precautionary measure, keep away from strong oxidizers

**Hazardous Decomposition Products:** No data available

### 11. TOXICOLOGICAL INFORMATION

**Information on Toxicological Effects**

**General Information:** Toxicological properties of the formulation have not been investigated. The information in this section describes the potential hazards of the individual ingredients and the formulation.  
Routes of exposure: eye contact , skin contact

**Acute Toxicity: (Species, Route, End Point, Dose)**

**Moxidectin**

Rat Oral LD50 106 mg/kg

Rat Dermal LD50 > 2000mg/kg

**2% polysorbate 80**

Rat Intravenous LD 50 1790 mg/kg

Mouse Oral LD 50 25g/kg

**Benzyl Alcohol**

Rat Oral LD50 1230 mg/kg

Rat Para-periosteal LD50 53mg/kg

Rat Inhalation LC50 >4.178mg/L

PZ01577

## SAFETY DATA SHEET

Material Name: Moxidectin Oral Gel  
Revision date: 29-Dec-2014

Page 6 of 10  
Version: 3.2

### 11. TOXICOLOGICAL INFORMATION

**Acute Toxicity Comments:** A greater than symbol (>) indicates that the toxicity endpoint being tested was not achievable at the highest dose used in the test.

#### Irritation / Sensitization: (Study Type, Species, Severity)

##### **Moxidectin**

Eye Irritation Rabbit Moderate  
Skin Irritation Rabbit Mild  
Skin Sensitization - Beuhler Guinea Pig Negative

##### **Benzyl Alcohol**

Eye Irritation Rabbit Severe  
Skin Irritation Rabbit Minimal  
Skin Irritation Guinea Pig Moderate

#### Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

##### **Moxidectin**

28 Day(s) Mouse Oral 75 mg/kg/day NOEL Central nervous system  
28 Day(s) Rat Oral 100 mg/kg/day LOEL Central Nervous System  
13 Week(s) Rat Oral 50 mg/kg/day NOEL Central Nervous System  
90 Day(s) Dog Oral 10 mg/kg/day NOEL Central Nervous System

#### Reproduction & Developmental Toxicity: (Study Type, Species, Route, Dose, End Point, Effect(s))

##### **Moxidectin**

Embryo / Fetal Development Rabbit Oral 1 mg/kg bw/day NOEL Maternal toxicity, Not teratogenic  
Embryo / Fetal Development Rat Oral 5 mg/kg/day NOEL Negative  
Embryo / Fetal Development Rat Oral 5 mg/kg bw/day NOEL Not Teratogenic, Embryotoxicity, Maternal Toxicity

#### Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

##### **Moxidectin**

*In Vitro* Bacterial Mutagenicity (Ames) *Salmonella*, *E. coli* Negative  
*In Vitro* HGPRT Forward Gene Mutation Assay Chinese Hamster Ovary (CHO) cells Negative  
*In Vivo* Cytogenetics Rat Bone Marrow Negative  
*In Vivo* Unscheduled DNA Synthesis Rat Hepatocyte Negative

#### Carcinogenicity: (Duration, Species, Route, Dose, End Point, Effect(s))

##### **Moxidectin**

2 Year(s) Mouse Oral 30 mg/kg/day NOEL Not carcinogenic  
2 Year(s) Rat Oral 100 mg/kg/day NOEL Not carcinogenic

#### Carcinogen Status:

None of the components of this formulation are listed as a carcinogen by IARC, NTP or OSHA.

#### Product Level Toxicity Data

**Acute Toxicity Estimate (ATE),  
oral**

4545 mg/kg

## SAFETY DATA SHEET

Material Name: Moxidectin Oral Gel  
Revision date: 29-Dec-2014

Page 7 of 10  
Version: 3.2

### 12. ECOLOGICAL INFORMATION

**Environmental Overview:** Very toxic to aquatic life with long lasting effects. Releases to the environment should be avoided.

**Toxicity:**

**Aquatic Toxicity: (Species, Method, End Point, Duration, Result)**

**Moxidectin**

*Lepomis macrochirus* (Bluegill Sunfish) LC50 96 Hours 0.62 ppb  
*Oncorhynchus mykiss* (Rainbow Trout) LC50 96 Hours 0.16 ppb  
*Daphnia Magna* (Water Flea) EC50 48 Hours 30 ppt  
*Selenastrum capricornutum* (Green Alga) EC50 72 Hours > 87 ppb

**Benzyl Alcohol**

*Pimephales promelas* (Fathead Minnow) EPA LC50 96 Hours 460 mg/L  
*Daphnia magna* (Water Flea) OECD EC50 48 Hours 230 mg/L  
*Pseudokirchneriella subcapitata* (Green Alga) OECD EC50 72 Hours 500 mg/L

**Aquatic Toxicity Comments:** A greater than symbol (>) indicates that aquatic toxicity was not observed at the maximum dose tested.

**Benzyl Alcohol**

*Daphnia magna* (Water Flea) OECD 21 Day(s) EC50 66 mg/L Reproduction

**Persistence and Degradability:**

**Benzyl Alcohol**

OECD Activated sludge Ready 92% After 14 Day(s) Ready

**Bio-accumulative Potential:**

**Moxidectin**

Predicted 7 Log D 8.74

**Mobility in Soil:** No data available

### 13. DISPOSAL CONSIDERATIONS

**Waste Treatment Methods:**

Dispose of waste in accordance with all applicable laws and regulations. Member State specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater.

### 14. TRANSPORT INFORMATION

## SAFETY DATA SHEET

**Material Name: Moxidectin Oral Gel**  
**Revision date: 29-Dec-2014**

**Page 8 of 10**  
**Version: 3.2**

As of January 1, 2015, materials offered for transport that are classified for transportation only as Marine Pollutants and which are packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 Liters or less for liquids or having a net mass per single or inner packaging of 5 kilograms or less for solids are NOT subject to ICAO/IATA, IMDG, or ADR transport regulations provided the general packaging requirements of those regulations are met. Refer to ICAO/IATA A197, IMDG 2.10.2.7, ADR SP 375.

<b>UN number:</b>	UN 3082
<b>UN proper shipping name:</b>	Environmentally hazardous substances, liquid, n.o.s. (moxidectin)
<b>Transport hazard class(es):</b>	9
<b>Packing group:</b>	III
<b>Environmental Hazard(s):</b>	Marine Pollutant

Please refer to the applicable dangerous goods regulations for additional information. Transport according to the requirements of the appropriate regulatory body.

**DOT / ANTT: Not regulated for transportation**

U.S. DOT Reportable Quantity (RQ), 49 CFR 172.101 Appendix A:

**Sodium phosphate, dibasic**

<b>CERCLA/SARA Hazardous Substances and their Reportable Quantities:</b>	5000 lb 2270 kg
--	--------------------

### 15. REGULATORY INFORMATION

**Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture**

**Canada - WHMIS: Classifications**

**WHMIS hazard class:**

Non-controlled

This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

**Disodium EDTA (dihydrate)**

<b>CERCLA/SARA 313 Emission reporting</b>	Not Listed
<b>California Proposition 65</b>	Not Listed
<b>Australia (AICS):</b>	Present
<b>EU EINECS/ELINCS List</b>	Not Listed

**Water for injection**

<b>CERCLA/SARA 313 Emission reporting</b>	Not Listed
<b>California Proposition 65</b>	Not Listed

## SAFETY DATA SHEET

Material Name: Moxidectin Oral Gel  
Revision date: 29-Dec-2014

Page 9 of 10  
Version: 3.2

### 15. REGULATORY INFORMATION

Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
REACH - Annex IV - Exemptions from the obligations of Register:	Present
EU EINECS/ELINCS List	231-791-2
<b>Simethicone</b>	
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Australia (AICS):	Present
EU EINECS/ELINCS List	Not Listed
<b>Sodium phosphate, dibasic</b>	
CERCLA/SARA 313 Emission reporting	Not Listed
CERCLA/SARA Hazardous Substances and their Reportable Quantities:	5000 lb 2270 kg
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	231-448-7
<b>Sodium dihydrogen phosphate dihydrate</b>	
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Australia (AICS):	Present
EU EINECS/ELINCS List	Not Listed
<b>Poloxamer 407</b>	
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	Not Listed
<b>Benzyl Alcohol</b>	
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	202-859-9
<b>2% polysorbate 80</b>	
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	Not Listed
<b>Moxidectin</b>	
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed

## SAFETY DATA SHEET

Material Name: Moxidectin Oral Gel  
Revision date: 29-Dec-2014

Page 10 of 10  
Version: 3.2

### 15. REGULATORY INFORMATION

<b>Standard for the Uniform Scheduling for Drugs and Poisons:</b>	Schedule 4
	Schedule 5
	Schedule 6
	Schedule 7
<b>EU EINECS/ELINCS List</b>	Not Listed

### 16. OTHER INFORMATION

#### Text of R phrases and GHS Classification abbreviations mentioned in Section 3

Acute toxicity, oral-Cat.3; H301 - Toxic if swallowed  
Acute toxicity, oral-Cat.4; H302 - Harmful if swallowed  
Acute toxicity, inhalation-Cat.4; H332 - Harmful if inhaled  
Hazardous to the aquatic environment, acute toxicity-Cat.1; H400 - Very toxic to aquatic life  
Hazardous to the aquatic environment, chronic toxicity-Cat.1; H410 - Very toxic to aquatic life with long lasting effects  
Serious eye damage/eye irritation-Cat.2A; H319 - Causes serious eye irritation  
Skin corrosion/irritation-Cat.3; H316 - Causes mild skin irritation

N - Dangerous for the environment  
T - Toxic  
Xn - Harmful  
Xi - Irritant

R25 - Toxic if swallowed.  
R36 - Irritating to eyes.  
R20/22 - Harmful by inhalation and if swallowed.  
R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**Data Sources:** The data contained in this MSDS may have been gathered from confidential internal sources, raw material suppliers, or from the published literature.

**Reasons for Revision:** Updated Section 14 - Transport Information.

**Prepared by:** Toxicology and Hazard Communication  
Zoetis Global Risk Management

Zoetis Inc. believes that the information contained in this Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

**End of Safety Data Sheet**